

SECURE YOUR FLEET WITH ENFORCER LOCKS

For over 40 years, Transport Security has led the way in cargo protection – guarding trucks, trailers, and containers against theft.



CARGO THEFT IS AT AN ALL-TIME HIGH

Not every fleet gets hit.
The ones that don't built their
security stack on ENFORCER.

TRUSTED BY TOP NATIONWIDE FLEETS

The country's largest and most demanding fleets trust ENFORCER to protect their cargo every day.

40+ YEARS OF PROVEN PERFORMANCE


Four decades of battle-tested locks that owner-operators and fleets have counted on since 1982.

INTEGRITY, INNOVATION, AND TRUST

From the materials we source to the solutions we design, every decision we make is driven by our commitment to the trucking industry.

LOOKING AHEAD

We continually invest in research, new technologies, and expanded services to stay at the forefront of cargo security. We believe that continuous innovation in lock design, key control systems, and technology integration will redefine how fleets protect their cargo in the years to come.



Keying Systems

We understand that every fleet has unique security needs. That's why we offer custom keying solutions built around ABLOY® technology, ensuring that each lock meets the demands of your specific operations, whether you run a single truck or manage a nationwide logistics network.

KEYED ALIKE

Keyed alike lets you match multiple locks to one key. Each lock shares the same key code. Fleets can add locks and keys to best fit their operations.

101011



BLENDED SYSTEM

Many fleets combine keyed alike and keyed different: one key per truck, but a different key for each truck across the fleet.

One key/multiple locks: Every Enforcer lock uses the same ABLOY® cylinder platform, so a single key can open different lock types (king pin, padlock, air cuff) as long as they share a key code.

TRUCK A



KING PIN

LANDING GEAR

PADLOCK

TRUCK B



KING PIN

LANDING GEAR

PADLOCK

KEYED DIFFERENT

Each lock is opened by its own unique key. They're often best utilized as a personal lock assigned to authorized personnel, which ensures each employee has exclusive control over his or her lock.



Maximum Individual Control: Perfect for high-value cargo or when each lock must remain exclusive.

Ideal For: Owner-operators or specific high-risk routes.

REPLACEMENTS & REKEYING


Lost or compromised key? No problem—our secure database of key codes lets us quickly process replacement orders. We also offer rekeying services if you ever need to change codes to maintain the highest level of security without purchasing entirely new locks.

ABLOY® keys are patented and cannot be duplicated commercially, ensuring no unauthorized copies circulate. Only TSI is equipped to replicate ABLOY keys, providing an extra layer of control and peace of mind.



MASTER SYSTEM

A flexible access control system allowing each lock or group of locks to have unique keys while enabling oversight with a master key that can open them all. Ideal for large fleets operating across multiple routes, terminals, or distribution centers.



Truck / Driver Keys (Keyed Different)

Each key opens the locks assigned to the truck or driver.
Keyed alike within each truck. Keyed different across the fleet.

Security & Accountability: Lost keys or employees leaving the company become less of a threat.

Dropped Trailer Security

Your security needs depend on what you haul, where you park, and how you operate. We provide targeted solutions for each scenario and threat level.

Trailers have their own vulnerabilities such as:

KING PIN

Without a king pin lock, a thief can hook up to your trailer and haul it away.



STANDARD LATCHES

Factory latches offer minimal security and are vulnerable to cutting, pry and brute-force attacks.



LANDING GEAR

If the landing gear handle is accessible, someone can raise the legs and prep the trailer for unauthorized transport.





ABLOY® Padlocks

HEAVY DUTY SECURITY

Stops unauthorized access to trailer and container doors

TAMPER RESISTANCE

Disc cylinder prevents picking and drilling

BORON STEEL SHACKLE

Resists cutting, prying, and forced attacks

ALL WEATHER OPERATION

Maintains reliable function in severe climates,
also available Super Weather Proof (SWP) models

SOLUTION COMPATIBILITY

Works alone or with ENFORCER hasps, Seal Guard, and
door lock systems



CUSTOMIZED KEYING SOLUTIONS

Locks can be keyed alike, different or different to a master system. Each lock or group of locks can have its unique key, but a master key can open them all. This approach balances individual security with overarching managerial access.



MODEL #	SHACKLE	HEIGHT	WIDTH	DEPTH	WEIGHT
330-25-S-2	8 mm	2.5"	1.9"	0.87"	0.7 lb
330-50-S-2	8 mm	3.5"	1.9"	0.87"	0.7 lb
341-25-S-2	10 mm	3"	2.25"	1"	1.2 lb
341-50-S-2	10 mm	4"	2.25"	1"	1.4 lb
342-25-S-2	10 mm	3"	2.25"	1"	1.3 lb
350-25-S-2	14 mm	3.25"	2.8"	1.2"	2 lb

ABLOY® SENTRY

HIGH SECURITY KEYS AND CYLINDERS

ABLOY® SENTRY is a new evolution of the unique ABLOY rotating disc technology that provides a smooth and reliable function in every environment.

ABLOY SENTRY is a patented cylinder platform specifically designed for the transportation industry. It is an ideal solution whenever high security and resistance in harsh conditions is needed.

FEATURES

- Fully resistant against bumping
- WSTM Anti Wear System – A patented mechanism in the key and cylinder that prolongs the life cycle
- All metal key features a symmetrical design offering advanced security, convenience and ease of use.
- Master key capabilities
- Rear loaded cylinder – Increases security of the cylinder against attack.
- ABLOY® keys are patented and cannot be duplicated commercially, ensuring no unauthorized copies circulate. Only Transport Security is equipped to replicate ABLOY keys, providing an extra layer of control and peace of mind.

TECHNICAL INFORMATION

- Key Material: Nickel Silver
- Active / Passive Key: Passive
- Symmetrical / Asymmetrical Key: Symmetrical
- Disc Quantity: 11 or 9
- Theoretical Combinations: 10 million

CUSTOMIZED KEYING SOLUTIONS

Locks can be keyed alike, different or different to a master system. Each lock or group of locks can have its unique key, but a master key can open them all. This approach balances individual security with overarching managerial access.





Adjustable Lock

Known in the field as: The Enforcer, The Beast, and The Meat Lock

REAR DOOR PROTECTION

Prevents trailer and container rear door padlocks from tampering

HEAVY DUTY BUILD

Shot blasted stainless steel with cast steel padlock shield

ADJUSTABLE FIT

Adjusts in half inch increments for a tight, secure fit

PORTABLE DESIGN

Moves easily between trailers and containers as needed

PADLOCK INCLUDED

Secured with ABLOY 350 padlock



CUSTOMIZED KEYING SOLUTIONS

Locks can be keyed alike, different or different to a master system. Each lock or group of locks can have its unique key, but a master key can open them all. This approach balances individual security with overarching managerial access.



MODEL #	HEIGHT	WIDTH	DEPTH	WEIGHT
1218-S-2	5"	13"	5"	12 lb



Hasp - Over Lock Rod

TRAILER DOOR SECURITY

Prevents forced entry by replacing weak factory trailer door latches

PADLOCK SHIELDING

Covers rear or side door padlocks to block cutting and sawing attacks

DUAL PROTECTION

Secures both active and passive trailer doors against forced separation

HEAVY GAUGE STEEL

Withstands prying, abuse, and real-world attack attempts

MULTI ASSET FIT

Installs on dry vans, refrigerated trailers, and containers

COMPATIBLE PADLOCKS

ABLOY 350-25

ABLOY 341-25

ABLOY 350-25-SWP

ABLOY 340-25-SWP



Each hasp order includes the complete installation kit: hasp unit, 2 protective covers, 2 backplates for fastener protection, and 10 sets of nuts and bolts for secure mounting.



MODEL #	HEIGHT	WIDTH	DEPTH	WEIGHT
8014-REF	4.5"	20.75"	3"	8.7 lb
8014-DV	4.5"	20.75"	3"	7.96 lb



Hasp - Under Lock Rod

TRAILER SECURITY

Prevents forced entry by replacing weak factory trailer door latches

PADLOCK SHIELDING

Covers rear or side door padlocks to block cutting and sawing attacks

DUAL PROTECTION

Secures both active and passive trailer doors against forced separation

HEAVY GAUGE STEEL


Withstands prying, abuse, and real-world attack attempts

MULTI ASSET FIT

Installs on dry vans, refrigerated trailers, and containers

COMPATIBLE WITH

ABLOY 350-25 Padlock ABLOY 341-25 Padlock
ABLOY 350-25-SWP Padlock ABLOY 340-25-SWP Padlock



Each hasp order includes the complete installation kit: hasp unit, 2 protective covers, 2 backplates for fastener protection, and 10 sets of nuts and bolts for secure mounting.

MODEL #	HEIGHT	WIDTH	DEPTH	WEIGHT
8000-REF	4.5"	18.5"	3"	7.88 lb
8000-DV	4.5"	18.5"	3"	7.14 lb



Seal Guard™ Lock

SEAL TAMPER PREVENTION

Protects seals from unauthorized or accidental removal

CLAIM REDUCTION

Helps prevent load refusals caused by compromised seals

PERMANENT INSTALL

Mounts directly to trailer or container doors

SEAL COMPATIBILITY

Secures plastic, bolt, metal, and cable seals

DUAL SECURITY

Stainless steel housing that locks trailer doors and protects seal integrity

COMPATIBLE PADLOCKS

ABLOY 350-25	ABLOY 342
ABLOY 350-25-SWP	ABLOY 330-25
ABLOY 341-25	ABLOY 330-50
ABLOY 341-50	ABLOY 330-25-SWP
ABLOY 340-25-SWP	



CUSTOMIZED KEYING SOLUTIONS

Locks can be keyed alike, different or different to a master system. Each lock or group of locks can have its unique key, but a master key can open them all. This approach balances individual security with overarching managerial access.



MODEL #	HEIGHT	WIDTH	DEPTH	WEIGHT
5960	12"	6.5"	3"	4.9lb



Roll Up Door Lock

ROLL UP DOOR SECURITY

Secures roll up trailer doors during frequent deliveries

HEAVY DUTY LOCKING

Uses an ABLOY cylinder for high resistance to picking and forced attack

SLAM LOCK ACTION

Locks automatically when the door is closed

DRIVER TIME SAVINGS

Eliminates padlock and hasp handling on frequent stops

PERMANENT INSTALL

Designed not to impede cargo loading


QUICK RELEASE ADD-ON

Allows the lock to be opened from the inside for safety

CUSTOMIZED KEYING SOLUTIONS

Locks can be keyed alike, different or different to a master system. Each lock or group of locks can have its unique key, but a master key can open them all. This approach balances individual security with overarching managerial access.

NOTE: The lock includes the lock body, mounting bolts (for dry van or refrigerated doors) and hardware that is welded to the truck or trailer floor. The floor hardware is referred to as the "boot" and is available in steel (8050-ST) or aluminum (8050-AL). The unit does not interfere with cargo handling. Includes ABLOY lock cylinder.



MODEL #	HEIGHT	WIDTH	DEPTH	WEIGHT
8050-ST-QR-S-C-2	9.75"	4.75"	5"	7.35 lb
8050-AL-QR-S-C-2	9.5"	4"	5"	7.35 lb
8051	4.5"	4.75"	3.25"	0.7 lb

CargoGuard

ROLL UP DOOR SECURITY

Prevents forced entry through roll up trailer doors during stops or unattended parking

HANDLE SHIELDING

Covers door handle and padlock to block pry bar and cutting attacks

FORCED ENTRY RESISTANCE

Creates a physical barrier that denies leverage and tool access

PORTABLE INSTALLATION

Installs easily on Todco or Whiting style roll up doors without modification

KEY CONTROL COMPATIBILITY

Works with high security padlocks and fleet keying systems

COMPATIBLE WITH

ABLOY 341-50 Padlock
ABLOY 340-50-SWP Padlock

CUSTOMIZED KEYING SOLUTIONS

Locks can be keyed alike, different or different to a master system. Each lock or group of locks can have its unique key, but a master key can open them all. This approach balances individual security with overarching managerial access.



MODEL #	HEIGHT	WIDTH	DEPTH	WEIGHT
8075	2.5"	16.5"	8.25"	5 lb

Trailer Lock Box

TRAILER DOOR SECURITY

Prevents unauthorized opening of roll up trailer doors

AUTOMATIC LOCKING

Locks the door handle when it is placed into the latch

LATCH REPLACEMENT

Eliminates weak factory trailer latches that are easy to bypass

FASTER ACCESS

Removes reliance on drivers to use padlocks at each stop

HIGH SECURITY CYLINDER

Uses an ABLOY® cylinder to resist picking, drilling, and forced entry



CUSTOMIZED KEYING SOLUTIONS

Locks can be keyed alike, different or different to a master system. Each lock or group of locks can have its unique key, but a master key can open them all. This approach balances individual security with overarching managerial access.



MODEL #	HEIGHT	WIDTH	DEPTH	WEIGHT
8055	1.75"	5.5"	5.25"	4.5 lb



King Pin

NEW
ARRIVAL

DROPPED TRAILER SECURITY

Prevents unauthorized trailer hookups

KING PIN PROTECTION

Covers the king pin to block fifth wheel engagement

LIGHTER PORTABLE DESIGN

Installs and removes easily without permanent modification

SOLID STEEL BODY

Resists cutting, prying, and forced removal attempts

HIGH SECURITY LOCK

ABLOY disc design performs reliably in harsh environments



CUSTOMIZED KEYING SOLUTIONS

Locks can be keyed alike, different or different to a master system. Each lock or group of locks can have its unique key, but a master key can open them all. This approach balances individual security with overarching managerial access.



MODEL #	HEIGHT	WIDTH	DEPTH	WEIGHT
1113-S-2	3.375"	4.25"	5.25"	8.2 lb



Glad Hand Lock

TRAILER IMMOBILIZATION

Prevents trailers from being moved by locking out the air brake connection

AIR LINE SECURITY

Covers glad hand mounting bolts to stop unauthorized brake line tampering

QUICK LOCKOUT

Installs and removes quickly for yard control or maintenance lockout use

DURABLE HOUSING

High strength aluminum body withstands impact and field abuse

CONTROLLED ACCESS

Keyed locking cylinder restricts use to authorized personnel



CUSTOMIZED KEYING SOLUTIONS

Locks can be keyed alike, different or different to a master system. Each lock or group of locks can have its unique key, but a master key can open them all. This approach balances individual security with overarching managerial access.



MODEL #	HEIGHT	WIDTH	DEPTH	WEIGHT
1450-S-2	2.5"	4.5"	2.5"	1.5 lb



Landing Gear Lock

TRAILER IMMOBILIZATION

Prevents trailers from being raised, lowered, or moved

LANDING GEAR LOCKOUT

Stops landing gear operation by securing the crank handle

HEAVY STEEL HOUSING

Resists cutting, prying, and forced removal in the field

PADLOCK COMPATIBLE

Secures with an ABLOY® 341-25 or 340-25-SWP

NON-PERMANENT INSTALL

Installs easily with no welding or trailer modification



CUSTOMIZED KEYING SOLUTIONS

Locks can be keyed alike, different or different to a master system. Each lock or group of locks can have its unique key, but a master key can open them all. This approach balances individual security with overarching managerial access.



MODEL #	HEIGHT	WIDTH	DEPTH	WEIGHT
1213	3.25"	3.5"	3.5"	2.75 lb



Air Cuff Lock

TRUCK IMMOBILIZATION

Prevents a truck or trailer from being moved by locking air brake controls

AIR BRAKE LOCKOUT

Covers and secures dash-mounted air valve levers to stop brake release

VEHICLE SECURITY

Adds protection when trucks are parked, idle, or unoccupied

PORTABLE INSTALLATION

Installs quickly with no drilling or permanent vehicle modification

TAMPER-RESISTANT

ABLOY lock cylinder resists drilling and forced manipulation

COMPATIBILITY

The Air Cuff Lock 3000 fits all Volvo, Mack, and Western Star models, while the ENFORCER® Air Cuff Lock 3030 is required for the International ProStar and 2015 or newer models of the Freightliner Cascadia, Peterbilt 579/389, and Kenworth T680.

CUSTOMIZED KEYING SOLUTIONS

Locks can be keyed alike, different or different to a master system. Each lock or group of locks can have its unique key, but a master key can open them all. This approach balances individual security with overarching managerial access.



MODEL #	HEIGHT	WIDTH	DEPTH	WEIGHT
3000-S-PL-2	2.5"	5.5"	2.5"	0.85 lb
3030-S-PL-2	2.75"	6"	1.75"	0.85 lb

Combination Puck Lock

KEYLESS CONVENIENCE

Resettable 4-dial combination with 10,000 possible codes for shared access without keys

HIDDEN SHACKLE SECURITY

Internal shackle design helps block bolt cutter attacks and reduces exposed pry points

CUT AND PRY RESISTANCE

Hardened steel body seats tightly against compatible hasps to help resist forced entry

SHARED ACCESS

Allows access to be shared with crews, drivers, contractors, or vendors without copying or replacing keys

MULTI ASSET FIT

Works with standard puck lock hasps on containers, gates, storage units, job boxes, and compatible doors



APPLICATIONS

Shipping containers, Storage units, Job site boxes, Gates, Warehouses, Sliding doors, Swinging doors, Utility trailers with compatible puck lock hasps

Note: Does not fit semi-trailer door latches.



MODEL #	HEIGHT	WIDTH	DEPTH	WEIGHT
SR400	3"	3"	2"	2.15 lb

Security Seals

Any quantity, highest quality, fast shipping.

WHY BUY FROM US?

Fast and easy ordering bag or case pack quantities
Competitive pricing
Custom branding and colors
Warehoused in Minnesota

PRODUCTS AVAILABLE

Bolt Seals
Cable Seals
Plastic Seals
Metal Band Seals

COMPLIANCE

CTPAT compliant and ISO 17712 H certified

REDUCE LOAD REFUSAL

Pair with an ENFORCER Seal Guard for maximum security



MODEL #	LENGTH	DIAMETER	TENSILE STRENGTH	MAX MARKING DIGITS
MFSL-11"-RD (100 PK) - Plastic	11.4"	.24"	>55.1 lbf	Serial no: 10/Barcode: 10
DMSP 22-WH (100 PK) - Metal Band	9"	.4"	158.7-180.8 lbf	Serial no: 10
MCLP180-14"-RD (10 PK) - Cable	7.08"	.1"	≥551.2 lbf	Serial no: 10/Barcode: 8
FCS-RD (10 Pk) - Bolt	2"	0.3"	≥2204.6 lbf	Serial no: 10/Barcode: 8

More models available. Contact sales rep for full options.

A 40 Year Legacy

PROTECTING YOUR BOTTOM LINE

Transport Security, Inc. is the trusted partner of fleets, professional drivers, and logistics professionals across trucking, supply chain, portable storage, construction, and retail.

TSI continually invests in research, new technologies, and expanded services to stay at the forefront of cargo security. We believe that continuous innovation in lock design, key control systems, and technology integration will redefine how fleets protect their cargo in the years to come.

PARTNERSHIPS & AFFILIATIONS

As part of our commitment to our customers and national supply chain, we collaborate with industry associations, technology/data providers, law enforcement, and insurers who share our vision of safer roads and supply chains.




Contact for fleet pricing

Business Development

952-442-5625

enforcer@transportsecurity.com



Scan for price quote